

**CLAIM LISTING**

1–12. (Canceled)

13. (Currently Amended) A computer program product, comprising:  
a computer-readable memory device; and  
computer-readable program code segments, stored on the computer-readable memory device, for:

receiving, at a client having a local cache, input related to a request for content of a web page, the request including an address for the web page; and

in response to receiving the input:

determining, at the client, ~~whether~~that there is content associated with the web page in the local cache;

~~if~~when there is content associated with the web page in the local cache, inserting a unique identifier into the address; and

transmitting the request to a server.

14. (Previously Presented) The computer program product of claim 13, further comprising:

computer-readable program code segments, stored on the computer-readable memory device, for determining whether the received input comprises either an event requesting a currently-displayed web page to be refreshed or an event requesting navigation to a previously-displayed web page.

15-29. (Canceled)

30. (Withdrawn) A computer program product, comprising:  
a computer-readable memory device;  
computer-readable program code segments, stored on the medium, for:  
receiving, from a client having a local cache, a request for content of a first web page, the request including a first address, the request also including a request for transmission of a second web page; and  
in response to receiving the request for content  
transmitting a message redirecting the client to the second web page, the message including a second address with a unique identifier.
31. (Withdrawn) The computer program product of Claim 30, further comprising:  
computer-readable program code segments, stored on the medium, for receiving, from the client, a request for content of the second web page, the request including the second address with the unique identifier.
32. (Currently Amended) A method, comprising:  
receiving, at a client having a local cache, input related to a request for content of a web page, the request including an address for the web page; and  
in response to receiving the input:  
determining, at the client, ~~whether~~ that there is content associated with the web page in the local cache;  
~~if~~ when there is content associated with the web page in the local cache, inserting a unique identifier into the address; and  
transmitting the request to a server.
33. (Previously Presented) The method Claim 32, wherein determining whether there is content associated with the web page in the local cache comprises:  
determining whether the received input comprises either an event requesting a currently-displayed web page to be refreshed or an event requesting navigation to a previously-displayed web page.

34. (Withdrawn) A method comprising:
- receiving, from a client having a local cache, a request for content of a first web page, the request including a first address, the request also including a request for transmission of a second web page; and
  - in response to receiving the request for content:
    - transmitting a message redirecting the client to the second web page, the message including a second address with a unique identifier.
35. (Withdrawn) A method according to Claim 34 further comprising:
- receiving, from the client, a request for content of the second web page, the request including the second address with the unique identifier.
36. (Currently Amended) The computer program product of Claim 13, wherein the address includes a Universal Resource Locator (“URL”) to content of at least a portion of a web page.
37. (Previously Presented) The computer program product of Claim 13, wherein the address includes a query string, the unique identifier being appended to the address in the query string.
38. (Previously Presented) The computer program product of Claim 13, wherein the unique identifier includes a random number.
39. (Previously Presented) The computer program product of Claim 13, wherein the unique identifier includes a time stamp.
40. (Previously Presented) The computer program product of Claim 13, wherein the unique identifier comprises an alpha-numeric representation.
41. (Previously Presented) The method of Claim 32, wherein the address includes a Universal Resource Locator (“URL”) to content of at least a portion of a web page.
42. (Previously Presented) The method of Claim 32, wherein the address includes a query string, the unique identifier being appended to the address in the query string.

43. (Previously Presented) The method of Claim 32, wherein the unique identifier includes a random number.

44. (Previously Presented) The method of Claim 32, wherein the unique identifier includes a time stamp.

45. (Previously Presented) The method of Claim 32, wherein the unique identifier comprises an alpha-numeric representation.